

Web Services and the LAMP Stack

GTFO Security



Agenda

- The stack
 - Web server
 - Database
 - Application
- LAMP
 - Components
 - Monitoring
 - Processes
 - Files
 - Network

How the Web Works

Connecting to Web Sites

- Recall that when you navigate to a web site, you form a connection.
- The protocol for this connection is either HTTP or HTTPS (encrypted connections).



source port: 46749

destination port: 80



HTTP Request

201	22.423442	192.168.105.129	192.168.106.221	HTTP	402 GET /~henryzlo/ HTTP/1.1
203	22.450390	192.168.106.221	192.168.105.129	HTTP	730 HTTP/1.1 200 OK (text/html)

The GET command requests a web page

```
Frame 201: 402 bytes on wire (3216 bits), 402 bytes captured (3216 bits)
Ethernet II, Src: Dell_78:ad:9d (00:26:b9:78:ad:9d), Dst: Vmware_57:99:0e (00:0c:29:57:99:0e)
Internet Protocol Version 4, Src: 192.168.105.129 (192.168.105.129), Dst: 192.168.106.221 (192.168.106.221)
Transmission Control Protocol, Src Port: 50687 (50687), Dst Port: http (80), Seq: 348, Ack: 590, Len: 348
Hypertext Transfer Protocol
  GET /~henryzlo/ HTTP/1.1\r\n
  Host: www.cs.umb.edu\r\n
  User-Agent: Mozilla/5.0 (Windows NT 6.1; WOW64; rv:9.0.1) Gecko/20100101 Firefox/9.0.1\r\n
  Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8\r\n
  Accept-Language: en-us,en;q=0.5\r\n
  Accept-Encoding: gzip, deflate\r\n
  Accept-Charset: ISO-8859-1,utf-8;q=0.7,*;q=0.7\r\n
  Connection: keep-alive\r\n
  \r\n
  [Full request URI: http://www.cs.umb.edu/~henryzlo/]
```

HTTP Request


201	22.423442	192.168.105.129	192.168.106.221	HTTP	402 GET /~henryzlo/ HTTP/1.1
203	22.450390	192.168.106.221	192.168.105.129	HTTP	730 HTTP/1.1 200 OK (text/html)

The response contains the web page

```
Frame 203: 730 bytes on wire (5840 bits), 730 bytes captured (5840 bits)
+ Ethernet II, Src: Vmware_57:99:0e (00:0c:29:57:99:0e), Dst: Dell_78:ad:9d (00:26:b9:78:ad:9d)
+ Internet Protocol Version 4, Src: 192.168.106.221 (192.168.106.221), Dst: 192.168.105.129 (192.168.105.129)
+ Transmission Control Protocol, Src Port: http (80), Dst Port: 50687 (50687), Seq: 590, Ack: 696, Len: 676
- Hypertext Transfer Protocol
  + HTTP/1.1 200 OK\r\n
    Date: Sat, 28 Jan 2012 18:51:52 GMT\r\n
    Server: Apache/2.2.20 (Ubuntu) PHP/5.3.6-13ubuntu3.3 with Suhosin-Patch mod_python/3.3.1 Python/2.7.2+\r\n
    Last-Modified: wed, 30 Nov 2011 19:56:35 GMT\r\n
    ETag: "f551c-1d1-4b2f922148ba0"\r\n
    Accept-Ranges: bytes\r\n
    Vary: Accept-Encoding\r\n
    Content-Encoding: gzip\r\n
  + Content-Length: 266\r\n
    Keep-Alive: timeout=15, max=99\r\n
    Connection: Keep-Alive\r\n
    Content-Type: text/html\r\n
    \r\n
    Content-encoded entity body (gzip): 266 bytes -> 465 bytes
- Line-based text data: text/html
  <html>\n
  <head>\n
  </head>\n
```

Behind the Scenes

- Requests are handled by the application.
- Application sits on top of the web server and the OS.
- Application communicates with database.



Behind the Scenes

- Web servers
 - Apache
 - IIS (Windows Server)
- Applications are written in
 - PHP
 - Perl
 - Python
 - ASP.NET
 - Any other language
- Databases
 - MySQL
 - Microsoft Access

Databases

- Stores data in tables.
- Applications use SQL queries to communicate.
- Queries must be authenticated (there are permissions in the database).
- Example of SQL:
 - `INSERT INTO My_table (field1, field2, field3) VALUES ('test', 'N', NULL);`
 - `SELECT title, price FROM Book WHERE price > 1.0;`


Application

- Written in various languages.
- Handles the requests, responses, communicates with database.
- More on this later.

LAMP

LAMP

- Linux, Apache, MySQL, PHP.
- Most popular web application stack.
- Free and open source.



LAMP Components

- Apache runs a PHP application, which listens on port 80 for requests.
- PHP takes in the request data, constructs an HTTP response, and queries database if necessary.
- The Apache server should listen on port 80 (no restrictions.)
- The database should only listen to the web server.

Apache Process Profile

- Apache runs as root and spawns off "worker threads" owned by www-data.

```
root      28306  0.0  0.0  69648  2936 ?        Ss   15:44   0:00 /usr/sbin/apache2 -k start
www-data  28308  0.0  0.0  69380  2000 ?        S    15:44   0:00 \_ /usr/sbin/apache2 -k start
www-data  28310  0.0  0.0 293084  2424 ?        Sl   15:44   0:00 \_ /usr/sbin/apache2 -k start
www-data  28311  0.0  0.0 293084  2424 ?        Sl   15:44   0:00 \_ /usr/sbin/apache2 -k start
```

- By default, listens on port 80 on every interface.

```
Active Internet connections (servers and established)
Proto Recv-Q Send-Q Local Address           Foreign Address         State                   PID/Program name
tcp        0      0 0.0.0.0:80              0.0.0.0:*               LISTEN                  28306/apache2
```

- Port 443 for HTTPS.

Apache Filesystem Profile

- Configuration files in /etc/apache2.

```
$ ls -l /etc/apache2
total 68
-rw-r--r-- 1 root root 7993 2011-11-07 17:45 apache2.conf
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 conf.d
-rw-r--r-- 1 root root 1322 2011-11-07 17:45 envvars
-rw-r--r-- 1 root root 0 2012-01-28 15:44 httpd.conf
-rw-r--r-- 1 root root 31063 2011-11-07 17:45 magic
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 mods-available
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 mods-enabled
-rw-r--r-- 1 root root 750 2011-11-07 17:45 ports.conf
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 sites-available
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 sites-enabled
```

- sites-available contains web site configurations (NOT data!).
- *conf* are config files and folders.

Apache Filesystem Profile

- Apache uses mods to support functionality such as PHP, MySQL.

```
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 mods-available  
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 mods-enabled
```

- Logs are in /var/log/apache2.

```
$ ls /var/log/apache2  
access.log  error.log  other_vhosts_access.log
```


Apache Filesystem Profile

- Configuration files in /etc/apache2.

```
$ ls -l /etc/apache2
total 68
-rw-r--r-- 1 root root 7993 2011-11-07 17:45 apache2.conf
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 conf.d
-rw-r--r-- 1 root root 1322 2011-11-07 17:45 envvars
-rw-r--r-- 1 root root 0 2012-01-28 15:44 httpd.conf
-rw-r--r-- 1 root root 31063 2011-11-07 17:45 magic
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 mods-available
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 mods-enabled
-rw-r--r-- 1 root root 750 2011-11-07 17:45 ports.conf
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 sites-available
drwxr-xr-x 2 root root 4096 2012-01-28 15:44 sites-enabled
```

- Sites-available contains web site configurations.
- *conf* are config files and folders.

MySQL

- Runs as mysql user.
- MySQL has its own users and permissions - there is a 'root' user inside MySQL.

```
mysql      31953  0.0  0.1 169956 24276 ?          Ssl  16:25   0:00 /usr/sbin/mysqld
```

- Listens on port 3306, by default only to requests from localhost.

```
Active Internet connections (servers and established)
```

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	127.0.0.1:3306	0.0.0.0:*	LISTEN	31953/mysqld

PHP

- Config file is `php.ini`
 - Usually resides in `/etc/php5/apache2/php.ini`
- Error messages go to `/var/log/apache2/error.log` by default

Live Demo

- Installing a LAMP server.
- Configuring a LAMP server.